

ALEXRIMS



RIMS

2024 - 2025 ALEXRIMS

FOR THE WAY YOU RIDE

A person is riding a bicycle on a dirt path through a forest. The word "RIMS" is overlaid in large, blue, script font. A thick blue horizontal line is positioned below the word.

RIMS

ALEXRIMS



BUILT FOR THE WAY YOU RIDE

Building world-class wheelsets has been our passion for over 15 years. Our efforts were rewarded in 2004 and 2008 when Olympic Gold medals were won on Alexrims wheelsets. Our successes have continued to this day with professional racers and world class athletes winning on Alexrims wheelsets all around the world.

Alexrims wheels are designed for riders who demand the best performance and the latest technology. Whether it's carbon, Scandium, 700-series alloy or our own proprietary 6061H alloy material, we guarantee you will be able to carve and control your bike through any terrain like never before. Alexrims wheelsets are designed to give you the best, fastest, and most inspiring ride of your life.

We combine the best materials with the latest technology and hand built quality to give you the best possible performance for Road, Marathon, Cross Country, Enduro, DH and BMX.

The winningest professional riders and teams around the world stand at the top step of the podium on Alexrims. It is time for you to experience the same ride they do. It is time for you to ride on Alexrims.



Dr. Alex Chen

RIMS CONTENTS

02 RACING/CYCLOCROSS

02 RA30	03 ATD500
02 R450	03 GD24P
02 AT470	03 GX26P
02 AT505	*NEW* 03 GRX25P
02 GV24P	
02 ATD470	

07 MTB/TREKKING

06 DP30	*NEW* 07 SD20	08 DA16
06 DP27	07 X2000	08 X1700
06 DP25	07 X2800	08 ACE17
06 DP23	07 XD2800	08 DM18
06 DP21	07 DH19	08 DC19
	07 EV23	

10 PLUS

10 MD35

11 ENDURO/BMX

11 DM24

12 MUS30

14 SINGLE WALL

14 Y303

14 C303

14 C1000

14 ZUMA1.0

15 AP18

15 Z1000

15 C2000

17 E-BIKE

17 DP30

17 DP23

17 DM24

17 EV23


17 DM18

3D DRILLING FOR E-BIKE




ADVANTAGES

Alexrims offers further customization for a variety of applications including our 3D drilling technology. 3D drilling makes our most popular rim profiles compatible with large flange hubs as well as e-bike hubs.



- » E-bikes have grown into a major segment in recent years.
- » Zero need for compromise with technologies from Alexrims.
- » Select from a wider variety of rim profiles as 3D drilling can be applied to any of them. Alexrims expands your choices while offering leading technology that enhances performance.

TUBELESS READY




Volar Series

RIM TAPE




Install blue rim tape evenly across the inside of the rim while covering the spoke holes up to the sides.

UNIVERSAL VALVE



Put valve stem through valve hole. Push firmly on the rubber side of the valves as you tighten the valve nut with your hands.

SEALANT



Remove the valve core and add sealant to the tire through the valve. Shake the wheel to coat the inside of the tire and replace valve core.

ADVANTAGES

Select premium wheels from Alexrims are tubeless ready from the factory, complete with tubeless tape and valve stems. Other models are tubeless compatible with a machined profile on the inner spoke bed to better hold tubeless tire beads for a more positive seal.

INTERNAL TECHNOLOGIES



A well balanced wheel is the difference between a good wheel and a great wheel. ALEXRIMS Welded Joint rims provide a balanced feel so that every stroke of the pedals is transferred to the road or trail. In fact we think that a balanced wheel is so important that we build over 24 High Quality welded joint rims.



Sleeve joints provide more surface contact with a rim's inner wall for a more secure rim than pin joints but with the same lightweight properties.



Wide rims for Fatbike and other speciality applications have unique cornering loads imposed on them. Lateral forces can cause one side of a rim to deflect more than the other. Rolling Pin technology adds internal structure to wide rims by embedding four pins (vs only two) to maintain structural integrity across the entire rim, not just at the edges.



Wide rims for Fatbike and other speciality applications have unique cornering loads imposed on them. Lateral forces can cause one side of a rim to deflect more than the other. Rolling Pin technology adds internal structure to wide rims by embedding four pins (vs only two) to maintain structural integrity across the entire rim, not just at the edges.



Quattro Tec further increases the strength of pinned joints by adding a second set of pins embedded in the bead hook profile to create a more torsionally rigid structure. The resultant bead hook profile not only strengthens the entire rim but also improves the tire/rim interface to reduce low pressure roll off.

MATERIAL TECHNOLOGIES



Scandium Super Light is a space age material developed in our hi-tech 3C division. SSL is stronger, lighter & more rigid than any other alloy rim material. So if you want to go fast, you need an Alex SSL designed rim.



Alex's 6A11 material is 1.2 times stronger than traditional 6061 series aluminum rims.

SURFACE TECHNOLOGIES



Precision CNC machined sidewalls smooth out the sidewall and improve braking efficiency. CNC sidewalls are at the top of our range of product options.



Aluminum Eyelets reduce stress on the rim, are lighter and offer better vibration absorption than stainless steel. ASE eyelets will be standard on our top level rims.



First developed by Alex in 1995, the SSE improves seating of the nipple head for a better built wheel.



SDE was developed by ALEX back in 2000. SDE improves seating of the nipple head for a better built wheel.



The Indicator is an ALEXRIMS patented design that incorporates a 0.3mm deep line in the sidewall. As the rim becomes thinner from use the color indicator becomes lighter alerting the user that it is time to replace the rim.



By utilizing 0.5mm off center spoke drilling from the hub centerline, our Equalizer technology allows for the use of equally tensioned spokes on both sides of the wheel. Equal length spokes at equal tension make for a super strong wheel that is perfectly balanced from side to side.



TRS (tubeless ready system)
Many of our rims offer our TRS (Tubeless Ready System) technology. Simply install any tubless compatible tire, rim strip, valve and sealant system for a complete tubeless solution.

RACING/ CYCLOCROSS RIMS

02 RA30

02 R450

02 AT470

02 AT505

02 GV24P


02 ATD470

03 ATD500

03GD24P

03 GX26P

NEW 03GRX25P





RA30

PIN JOINT | BLACK, SILVER
OPTION: CSW

700C | 622X14 | 545G

650C | 571X14 | 490G

Origin: 



R450


PIN JOINT | BLACK, SILVER
OPTION: CSW

700C | 622X14 | 496G

650C | 571X14 | 468G

20"X1-1/8 | 450X14 | 356G

Origin:  




AT470

PIN JOINT | BLACK
TRS | OPTION:CSW

700C | 622X17 | 475G

Origin:  




AT505

PIN JOINT | BLACK
TRS | OPTION:CSW

700C | 622X19 | 505G

Origin:  




GV24P

PIN JOINT | BLACK
TRS | OPTION:CSW

700C | 622X21 | 508G

Origin:  



ATD470

PIN JOINT | BLACK
TRS

700C | 622X17 | 460G


Origin:  

ATD500

PIN JOINT | BLACK
TRS

700C | 622X19 | 500G

Origin:  





GD24P

PIN JOINT | BLACK
TRS

700C | 622X21 | 500G

Origin:  






GX26P

PIN JOINT | BLACK
TRS

700C | 622X23 | 545G
650B | 584X23 | 515G

Origin:  



GRX25P

NEW

PIN JOINT | BLACK
TRS

700C | 622X25 | 507G

Origin:  



MTB/ TREKKING

06 DP30

06 DP27

06 DP25

06 DP23

06 DP21

NEW

07 SD20

07 X2000

07 X2800

07 XD2800

07 DH19

07 EV23


08 DA16

08 X1700

08 ACE17

08 DM18

08 DC19



DP30


PIN JOINT

TRS | OPTION: SSE

700C | 622X30 | 605G

650B | 584X30 | 575G

Origin:



DP27

PIN JOINT | BLACK


TRS | OPTION: SSE

700C | 622X27 | 542G

650B | 584X27 | 508G

26" | 559X27 | 490G

Origin:



DP25

PIN JOINT | BLACK

TRS | OPTION: SSE

700C | 622X25 | 510G


650B | 584X25 | 480G

26" | 559X25 | 460G

24" | 507X25 | 420G

20" | 406X25 | 330G

Origin:



DP23

PIN JOINT | BLACK

TRS | OPTION: SSE


700C | 662X23 | 500G

650B | 584X23 | 467G

26" | 559X23 | 445G

24" | 507X23 | 415G

Origin:



DP21

PIN JOINT | BLACK

TRS | OPTION: SSE

700C | 622X21 | 490G

650B | 584X21 | 460G

26" | 559X21 | 445G


24" | 507X21 | 390G

20" | 406X21 | 310G

Origin:


SD20***NEW***

PIN JOINT | BLACK
 TRS | OPTION:SSE
 700C | 622X20 | 500G
 650B | 584X20 | 470G
 26" | 559X20 | 447G

Origin:  **X2000**



PIN JOINT | BLACK | SILVER | INDICATOR
 OPTION: CSW | SSE

700C | 622X19 | 554G
 650B | 584X19 | 525G
 26" | 559X19 | 500G

Origin: **X2800**


PIN JOINT | BLACK
 TRS | OPTION: CSW | SSE

700C | 622X19 | 550G
 650B | 584X19 | 505G
 26" | 559X19 | 490G

Origin: **XD2800**


PIN JOINT | BLACK
 TRS | OPTION: SSE

700C | 622X19 | 540G
 650B | 584X19 | 505G

Origin: **DH19**


PIN JOINT | BLACK
 OPTION: CSW | SSE


700C | 622X18 | 580G
 650B | 584X18 | 575G
 26" | 559X18 | 520G
 20" | 406X18 | 385G

Origin: **EV23**

PIN JOINT | BLACK
 TRS | INDICATOR | OPTION: CSW, SSE


700C | 622X23 | 550G
 650B | 584X23 | 520G
 26" | 559X23 | 500G


Origin: 



DA16

PIN JOINT | BLACK, SILVER
 INDICATOR | OPTION: CSW
 700C | 622X16 | 550G
 26" | 559X16 | 503G
 24"X1 3/8 | 540X16 | 480G
 24" | 507X16 | 450G
 20"X1 3/8 | 451X16 | 400G
 20" | 406X16 | 380G
 18" | 355X16 | 310G
 16" | 305X16 | 260G


Origin: 



X1700

PIN JOINT | SILVER, BLACK
 INDICATOR | OPTION: CSW | SSE
 700C | 622X19 | 510G
 650B | 584X19 | 480G
 26" | 559X19 | 460G
 24" | 507X19 | 445G
 20" | 406X19 | 355G


Origin:  



ACE17


PIN JOINT | SILVER, BLACK
 INDICATOR | OPTION: CSW | SSE
 700C | 622X18 | 530G
 650B | 584X18 | 505G
 26" | 559X18 | 480G
 24" | 507X18 | 420G
 20" | 406X18 | 330G


Origin:  



DM18


PIN JOINT | BLACK
 INDICATOR | OPTION: CSW | SSE
 700C | 622X18 | 586G
 650B | 584X18 | 550G
 26" | 559X18 | 530G
 24" | 507X18 | 486G
 20" | 406X18 | 380G

Origin: 




DC19

PIN JOINT | BLACK, SILVER
 INDICATOR | OPTION: CSW
 700C | 622X16 | 562G
 26" | 559X16 | 509G

Origin: 

PLUS

10 MD35



MD35

PIN JOINT | BLACK
 TRS | OPTION: SSE
 700C | 622X34 | 545G
 650B | 584X34 | 525G
 26" | 559X34 | 490G

Origin:  

ENDURO/ BMX


11 DM24


12 MUS30


DM24

PIN JOINT | BLACK
INDICATOR
OPTION: CSW | SSE

700C | 622X24 | 725G
26" | 559X24 | 665G
24" | 507X24 | 610G
20" | 406X24 | 480G

Origin: 






MUS30

PIN JOINT | BLACK

26" | 559X24 | 520G

24" | 507X24 | 475G

20" | 406X24 | 365G

Origin: 

SINGLE WALL

14 Y303

14 C303


14 C1000

14 ZUMA1.0

15 AP18

15 Z1000


15 C2000




Y303

PIN JOINT | BLACK, SILVER
OPTION: GSW

26" | 559X24
24" | 507X24
20" | 406X24
18" | 355X24
16" | 305X24


Origin: 




C303

PIN JOINT | BLACK, SILVER
OPTION: GSW

27"X1 1/4 | 630X21
26"X1 3/8 | 597X21
24"X1 3/8 | 540X21
24" | 507X21
20" | 406X21

Origin: 




C1000

PIN JOINT | SILVER, BLACK
INDICATOR | OPTION: CSW

26" | 559X20
24" | 507X20
22" | 456X20
20" | 406X20
18" | 355X20
16" | 305X20
14" | 251X20
12" | 203X20


Origin:  



ZUMA1.0

PIN JOINT | SILVER, BLACK

650B | 584X27
26" | 559X27
24" | 507X27


Origin: 

AP18

PIN JOINT | SILVER, BLACK
OPTION: CSW

700C | 622X18
27"X1 1/4 | 630X18
26" | 559X18

Origin: 




Z1000

PIN JOINT | SILVER, BLACK
OPTION: CSW

700C | 622X20
650B | 584X20
26" | 559X20
24" | 507X20
22" | 456X20
20" | 406X20
18" | 355X20
16" | 305X20
14" | 251X20
12" | 203X20


Origin: 




C2000

PIN JOINT | SILVER, BLACK
OPTION: CSW

16" | 305X17
14" | 254X17
12" | 203X17

Origin: 



E-BIKE

17 DP30

17 DP23

17 DM24

17 EV23


17 DM18

DP30

PIN JOINT
TRS | OPTION: SSE



700C | 622X30 | 605G
650B | 584X30 | 575G


Origin:  

**DP23**

PIN JOINT | BLACK
TRS | OPTION: SSE


700C | 622X23 | 500G
650B | 584X23 | 467G
26" | 559X23 | 445G


Origin:  

**DM24**

PIN JOINT | BLACK
INDICATOR | OPTION: CSW, SSE


700C | 622X24 | 725G
650B | 584X24 | 670G
24" | 507X24 | 610G
20" | 406X24 | 480G


Origin: 

**EV23**

PIN JOINT | BLACK
TRS | INDICATOR
OPTION: CSW, SSE


700C | 622X23 | 595G
26" | 559X23 | 540G


Origin: 

**DM18**

PIN JOINT | BLACK
INDICATOR | OPTION: CSW, SSE

700C | 622X18 | 600G
650B | 584X18 | 530G
26" | 559X18 | 520G

Origin: 





亞獵士科技股份有限公司
ALEX GLOBAL TECHNOLOGY INC.

台南市山上區明和里北勢洲21-2號
No.21-2, Beishizhou, Minghe Vil.,
Shanshang Dist., Tainan City 743,
Taiwan
TEL : +886-6-5782151
FAX : +886-6-5782394
E-MAIL : alexrims@alexrims.com.tw
WEB : www.alexrims.com

大造熊科技股份有限公司
BEAR PAWLS, INC.

428-72台中市大雅區鳳鳴路6-1號
1F., NO.6-1, Fengming Rd., Daya Dist.,
Taichung City 42872, Taiwan(R.O.C)
TEL : +886-4-25606996
FAX : +886-4-25606886
E-MAIL : bearpawls@bearpawls.com.tw
WEB : www.bearpawls.com

益昌鋁製品(太倉)有限公司
XYZ ALUMINIUM PRODUCTS
(TAI CANG) CO., LTD.

江蘇省太倉市沙溪鎮岳王臺北路2號
No.2 Tai-Pei Road, Yue-Wang Distinct,
Sha-Xi Town, Tai-Cang City, Jiang-Su
Province, China
TEL : +86-512-5345 6636 53458348
FAX : +86-512-5345 8322
E-MAIL : alextc53456636@163.com

大造熊有限公司
DA CHAO SHONG CO., LTD.

柬埔寨柴楨省巴域市國道一號
大成巴域經濟特區+(大造熊公司)
Tai Seng Bavet Special Economic Zone,
National Road. 1, Bavet City, Svay Rieng
Province, Cambodia
Da Chao Shong Co., Ltd.
TEL : +855-44-712265
E-MAIL: dachaoshong@gmail.com

越南鼎特力科技股份有限公司
ALEX GLOBAL TECHNOLOGY
VIETNAM COMPANY., LTD

越南西寧省鵝油縣福東社福東工業區N16路
LOT NO.47-12B-2, 47-14, 47-15, 47-16-
1, N16 STREET, PHUOC DONG INDUSTRY
PARK, PHUOC DONG COMMUNE GO DAU
DIST., TAY NINH PROVINCE VIETNAM
TEL : +84-276-351-5288
E-MAIL : infovn@alexrims.com.tw

ALEXRIMS.COM



WWW.ALEXRIMS.COM